

GEARMORE®

TWINSTAR

GENERATION 2 BASKET RAKES



PART'S MANUAL

For

**Models 2027G2-7 & 2030G2-7
7 Bar Series**


Serial # 157000 - 157999



GENERATION 2 PARTS MANUAL

DESCRIPTION	PAGE
TABLE OF CONTENTS	1
MAINFRAME ASSEMBLY	2-3
EXTENSION ARM ASSEMBLY	4-5
BASKET HANGER, FRAME, & LIFT ASSEMBLY	6-7
TWIN HUB AND STAR ASSEMBLY	8-9
GAUGE WHEEL ASSEMBLY	10-11
ANGLE STOP ASSEMBLY	12-13
HYDRAULIC FLOW CONTROL	14-15
HYDRAULIC SCHEMATIC – 5 FUNCTION	16-17
HYDRUALIC SCHEMATIC – 6 FUNCTION	18-19
EXTENSION ARM HYDRAULIC CYLINDER	20
FIVE FUNCTION CONTROL VALVE	21-34
SIX FUNCTION CONTROL VALVE	25-28
FIVE FUNCTION CONTROL BOX	29-31
SIX FUNCTION CONTROL BOX	32-34

MAIN FRAME ASSEMBLY **MODELS: 2027/30G2-7 & 2027/30G2**




MAINFRAME ASSEMBLY

MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
1	1	HR-2030-G2	Main Frame
3	16	HR-0051-G2	Slide Tube Wear Strip 1/4" x 3 7/8"
4	8	HR-0055-G2	12 Gauge Shim
#	16	G-25-1.25-SFHMS	1/4" x 1 1/4" Slot Flat Head Machine Screw w/ 1/4" Nylock Nut (Shim Side) (not shown)
#	16	G-25-1-SFHMS	1/4" x 1" Slot Flat Head Machine Screw w/ 1/4" Nylock Nut (not shown)
	Ref	HR-0051HK	Slide Tube Wear Strip Hardware Kit, Includes 16 ea. of the above 2 items
5	1	HR-2052	Tongue Jack
6	1	HR-0490	Clevis Hitch Assembly
7	Ref	HR-2410P	2-5/16" Ball Hitch - optional for clevis hitch
8	1	HR-2001	Stripper Bar Adjustment Tool
9	1	HR-0391	Hydraulic Manifold w/ Cartridges
10	1	HR-0341	Safety Chain - 37"
11	1	HR-0404	1/2" Clamp - Double Hose (w/ Mounting Plate & Top Plate)
12	2	HR-0700	Base Plate (1/2" Clamp - Single Hose)
13	2	HR-0417	1/2" Clamp - Single Hose
14	2	HR-0415	Top Plate (1/2" Clamp - Single Hose)
15	4	HR-0419	1/4" x 1-1/2" HHCS
16	4	HR-0701	Base Plate (3/4" Clamp - Single Hose)
17	6	HR-0407	3/4" Clamp - Single Hose
18	4	HR-0408	Top Plate (3/4" Clamp - Single Hose)
19	8	HR-0419	1/4" x 1-1/2" HHCS
20	4	HR-0406	Stack Bolt 3/4" Clamp
21	2	HR-0318-1	Spread Cylinder Without External Hydraulic Line, Ram
22	4	HR-0317	Hyd Cyl Pin
23	2	G-375-3.5-NCU	3/8" x 3 1/2" U-Bolt
24	1	HR-3200	Energy Chain - Set of 2, 6-5/8" Width Assembled Chains
25	2	HR-3231	Energy Chain - Moving KMA Bracket For 6-5/8" Width Chain
26	2	HR-3232	Energy Chain - Fixed KMA Bracket For 6-5/8" Width Chain
27	168	HR-3113	Energy Chain - Crossbar For 6-5/8" Width Chain
28	80	HR-3238	Energy Chain - Inside Plate For 6 5/8" Width Chain
29	80	HR-3239	Energy Chain - Outside Plate For 6 5/8" Width Chain
30	4	HR-3106	Energy Chain - Chain Fix 1/2" Single For 6-5/8" Width Chain
31	4	HR-3115	Energy Chain - Chain Fix 3/8" Single For 6-5/8" Width Chain
32	4	HR-3114	Energy Chain - Chain Fix 1/4" Single For 6-5/8" Width Chain
#	REF	HR-3117	Energy Chain - Hose Separator (not shown)
33	1	700-0805-4022	Hydraulic Control Valve (5 Function) *option
33	Ref	700-0806-4022	Hydraulic Control Valve (6 Function) *option
34	4	HSR-0023	5" Plastic Cap
#	Ref	HR-R3605437	Spread Cylinder Seal Kit (not Shown)
#	1	HR-0343	SMV Sign (not shown)
#	1	HR-2006	Tool Box (not shown)
#	Ref	HR-2008	Width Marker Decal Set

EXTENSION ARM ASSEMBLY

MODELS: 2027/30G2-6 & 7




EXTENSION ARM ASSEMBLY

MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
1	1	HSR-2470	Wheel Tower Weldment - RH
1	1	HSR-2471	Wheel Tower Weldment - LH
2	2	HR-2510-2	Wheel Tower Receiver (with 8 13/16" wide hole spacing) Serial # Greater Than 157179
REF	2	HR-2510-1	Wheel Tower Receiver (with 8 13/16" wide hole spacing) Serial # 157179 & Below
3	1	HSR-2100-1	Double Slide Weldment - RH
3	1	HSR-2101-1	Double Slide Weldment - LH
4	1	HR-2478-3	Basket Pivot Weldment - RH Serial # Greater Than 157179
REF	1	HR-2478	Basket Pivot Weldment - RH Serial # 157179 & Below
4	1	HR-2479-3	Basket Pivot Weldment - LH Serial # Greater Than 157179
REF	1	HR-2479	Basket Pivot Weldment - LH Serial # 157179 & Below
5	4	HR-0481	UHMW Pivot Plate
6*	4	HR-0083-1	Spindle RTM (002-328-1)
7*	4	HR-0082	Wheel Hub w/ Bearings & Seal (008-423-04)
8*	4	HR-0383	Spindle Seal 2" (010-162-00) (Cross Ref National 473463)
9*	4	HR-0378	Inner Bearing LM501349 (031-075-02)
10*	4	HR-0379	Inner Race LM501310 (031-075-01)
11*	4	HR-0377	Outer Race LM67010 (031-032-02)
12*	4	HR-0376	Outer Bearing LM67048 (031-032-01)
13*	4	HR-0382-1	Spindle Washer 1" (005-023-00)
14*	4	HR-0381-1	Spindle Nut 1"-14 Slotted (006-176-00)
15*	4	HR-0384	Cotter Pin 1/8" x 2" (019-002-00)
16*	4	HR-0375-1	Grease Cap (yellow zinc) (021-089-00)
17*	24	HR-0380	Lug Nut 9/16" NF (006-060-00)
18*	24	ST562	9/16" NF - 2 1/4" Stud (007-280-00)
19	4	HR-0085	Wheel
20	4	HR-0707	LT235/75R15 Road Tire (not shown)
21	4	HR-0704	1/2" x 3 1/2" NC Gr.5 Cap Screw w/ 1/2" Grip Nut
22	2	HR-0066B	Break Away Cylinder Mount Serial # Greater Than 157179
REF	2	HR-0066A	Break Away Cylinder Mount Serial # 157179 & Below
23	4	HR-0705	1/2" x 2 1/2" NC Gr.8 Cap Screw w/ 1/2" Grip Nut
24	2	HR-0106	2" x 8" ASAE Hydraulic Cylinder
25	4	HR-0317	Hydraulic Cylinder Pin
26	12	HR-0706	3/4" x 2 1/2" NC Gr.8 Cap Screw w/ 3/4" Grip Nut
27	2	HR-0472	Washer Plate
28	2	G-1.5SAEFW	1 1/2" SAE Flat Washer
29	2	HR-0473	1 1/2" SAE Nylock
30	2	HSR-0015	5" Plastic Cap (Modified)
32	2	HR-0314	Hydraulic Cylinder Rod Clevis
*	2	E-1774	Complete Hub & Spindle Assembly (includes Items with *)
**		HR-0313-1	Hydraulic Cylinder Seal Kit, (Not Shown) Spencer #661751


BASKET HANGER, FRAME & LIFT ASSEMBLY **MODELS: 2027/30G2-6 & 7**



BASKET HANGER, FRAME AND LIFT ASSEMBLY
MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
1	1	HR-2478-3	Basket Pivot Weldment - RH
1	1	HR-2479-3	Basket Pivot Weldment - LH (Not Shown)
2	1	HR-2450-1	Suspension Axel - RH
2	1	HR-2451-1	Suspension Axel - LH (Not Shown)
3	4	HR-0232	Flange Bearing
4	4	G-75-3.5NCCS	3/4" x 3 1/2" HHCS
5	4	G-75NCHGN	3/4" Hex Grip Nut
6	4	HR-2003-B	Adjustable Link
7	4	HR-11118	Clevis Bolt, Bottom (Greasable)
8	2	HR-0107	2" x 6" Hydraulic Cylinder
9	4	HR-2113-2	Parallel Arm
10	4	HR-11118	Clevis Bolt, Top (Greasable)
11	4	HR-0317	Hydraulic Cylinder Pin
12	12	HR-0159	Cotter Pin 3/16" x 1-1/2"
13	4	HR-0200	Top Link
14	2	HR-0404	1/2" Double Hose Clamp w/ Mounting Plate
15	8	HR-0198	Lynch Pin - 7/16"
16	8	HR-0105	Pin
17	1	HR-2623-2	Basket Frame - 12' - RH
17	1	HR-2624-2	Basket Frame - 12' - LH (Not Shown)
17	Ref	HR-2621-2	Basket Frame - 10 1/2' - RH (Not Shown)
17	Ref	HR-2622-2	Basket Frame - 10 1/2' - LH (Not Shown)
18	24	HR-2630	Stripper Bar (RH & LH, 10 1/2' & 12' Basket)
19	4	HR-0703	Cotter Pin 1/4" x 1-1/2"
20	2	HR-0314	Hydraulic Cylinder Rod Clevis
21	48	G-625NCHN	5/8" NC Hex Nut
22	48	G-625NCHGN	5/8" Hex Grip Nut
23	2	HR-2004-A	Basket Adjustment Wrench
24	4	064-016-1	1" NC Nylock Nut
#	2	HR-2007	Tooth Tool
#		HR-0313-1	Hydraulic Cylinder Seal Kit, (Not Shown) Spencer #661751


TWIN HUB AND STAR ASSEMBLY **MODELS: 2027/30G2-7 & 2027/30G2**



TWIN HUB AND STAR ASSEMBLY
MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
1	2	HR-0647	Reinforcing Plate
2	1	HR-4162	Knuckle Assembly w/Hub - RH
2	1	HR-4163	Knuckle Assembly w/Hub - LH
3	4	HR-2640	G2 Star Wheel (7 Bar)
4	14	HR-4130	Tine Bar - 12 ft w/Bearings
4	Ref	HR-4120	Tine Bar - 10-1/2 ft w/Bearings (Not Shown)
5	350	HR-0181	3/8" x 2-1/2" HHCS
6	350	HR-0182	3/8" Lock Nut
7	175	HR-0168	Right Hand Rake Tooth
7	175	HR-0169	Left Hand Rake Tooth (Not Shown)
8*	28	HR-0176	3/4" NC x 4" HHCS
9*	28	HR-0174	Tine Bar Long Spacer
10*	56	HR-0172	Tine Bar Bearing Z9504
11*	28	HR-0184	Tine Bar Shim Washer
12*	28	HR-0173	Snap Ring
13*	28	HR-0177	Tine Bar Small Spacer
14*	28	HR-0175	Dust Shield
15*	28	HR-0178	3/4" NC Lock Nut
16	20	G-STN-509	1/2"-20 NF Lug Nut
17	10	G-ST-504	1/2"-20 NF - 2 1/4" Stud
18	2	G-SL-175	Bearing Seal (RTM SL-175)
19	2	G-LM48548	Inner Spindle Bearing LM48548
20	2	G-LM48510	Inner Bearing Race LM48510
21	2	HR-0377	Outer Bearing Race LM67010
22	2	HR-0376	Outer Spindle Bearing LM67048
23	2	HR-0382	3/4" Spindle Washer (RTM SW-750)
24	2	HR-0375	Grease Cap
25	2	HR-2652	Knuckle Spindle Weldment
26	2	HR-381	Spindle Nut 3/4" NF Slotted (RTM SN-750)
27	2	HR-0384	Cotter Pin 5/32" x 1 1/2"
28	1	HR-2650	Knuckle Base Plate - RH
28	1	HR-2651	Knuckle Base Plate - LH (Not Shown)
29	2	HR-2653	Knuckle Pin
30	2	HR-0159	Cotter Pin 3/16" x 1-1/2"
31	2	HR-2654	Hub w/Studs, Bearings and Seal
32	2	HR-0165-12	Hydraulic Motor, Heavy Duty, White #500375A5120AAAAA (SER# 157000 - 157120)
REF	2	HR-0709-12	Hydraulic Motor, Extra HD, White #500470A5120AAAAA - Option (SER# 157000 - 157120)
REF	2	HR-0165-15	Hydraulic Motor, Std. Eaton (184-0096-002) (SER# 157121 - 157999)
REF	2	HR-0709-15	Hydraulic Motor, High Torque, Eaton #184-0131-002 (Option) (SER# 157121 - 157999)
33	2	HR-0357-15	5/16" x 1/4" Key Stock 1 1/4" Long
34	2	HR-2369	Adapter Housing
35**	2	HR-2351	Jack Shaft 1-1/4"
36**	2	HR-0356	3/8" Key Stock - 2"
37**	2	HR-2352	Bearing Housing
38**	4	HR-0355	Bearing CSA208-24
39**	2	HR-0363	Spacer
40**	2	HR-0354	Snap Ring
41**	2	HR-2361	Drive Hub Assembly w/Studs
42**	10	G-7-122	1/2"-20 NF - 2" Stud
43	2	HR-0367	1-1/2" Slotted Nut
44**	2	HR-0367-1	Cotter Pin 1/4" x 2"
45**	2	HR-0368	Machined Washer 2-1/2" OD x 1-1/2" ID X 3/16"
*	Ref	HR-4125	Tine Bar Bearing Assembly
**	2	HR-4361	Bearing Housing Assembly
	Ref	HR-0165-2	Seal Kit For all White Motors #500444001 (SER# 157000 - 157120)
	Ref	HR-0165-3	Seal Kit For Eaton Motors (9900436-000) (SER# 157121 - 157999)

GAUGE WHEEL ASSEMBLY




GAUGE WHEEL ASSEMBLY (optional)

HR-5612 & HR-5712

ITEM	QTY	PART NO	DESCRIPTION
1	1	HR-2458	Pivot Bracket Assembly - RH
1	1	HR-2457	Pivot Bracket Assembly - LH (not shown)
2	2	HR-2660	Pivot Arm Weldment
3	2	HR-2486	12" Steel Wheel
4	4	HR-0487	Plastic Bearing Insert
5	2	HR-0488	1-1/4" SAE Flat Washer
6	2	HR-0486	Spring
7	2	HR-0489	1-1/4" NC Nylock Nut
8	2	G-P71111	Pin
9	2	HR-0385	Seal - National 471750
10	4	HR-0386	Bearing - L44643
11	4	HR-0387	Race - L44610
12	2	HR-0402	Washer
13	2	HR-0403	Slotted Nut
14	2	HR-0159	Cotter Pin
15	2	HR-0388	Cap - 21-3

HR-5800 ANGLE STOP ASSEMBLY




HR-5800 ANGLE STOP ASSEMBLY
FOR MODELS: G2 & G3

ITEM	QTY	PART NO	DESCRIPTION
1	2	HR-0066B	Angle Stop Mount
3	2	HR-0851	Inner Slide Shaft
4	2	HR-0852	Outer Slide
5	2	HR-0853	Stop Collar Sleeve
6	2	HR-0317	1" Pin
7	2	P71111	1/2" Pin w/Keeper
8	2	HR-0198	7/16" Lynch Pin
10	2	HR-0487	Plastic Bearing Insert

HYDRAULIC FLOW CONTROL

MODELS: 2027/30G2-6 & 7




HYDRAULIC FLOW CONTROL

MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
1	1	HR-0391	Hyd Flow Control Manifold w/Cartridges
2	1	HR-0392	Flow Control Cartridge, Adjustable 4 - 8GPM
3	1	HR-0393	Flow Control Cartridge, Fixed 4GPM
4	1	HR-0395	Motor Relief Valve - 2000 PSI
5	1	HR-0396	Hyd Flow Control Manifold
REF	REF	HR-0392-SK	Seal Kit

HYDRAULIC SCHEMATIC-5 FUNCTION

MODELS: 2027/2030G2-5,6 & 7




HYDRAULIC SCHEMATIC - 5 FUNCTION

MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
101	1	HR-0391	Hydraulic Manifold
	1	HR-0392	Adjustable Flow Cartridge 4-8 GPM (not shown)
	1	HR-0393	Fixed Flow Cartridge 4 GPM (not shown)
	1	HR-0395	Motor Relief Valve - 2000 PSI (not shown)
102	1	HR-271-039	Check Valve (HR-0284 Used 2013 and earlier)
103	1	700-0805-4022	Hydraulic Control Valve (5 Function)
104	2	HR-0318-1	Spread Cylinder Without External Hydraulic Line, Ram
105	2	HR-0106	2" x 8" Hydraulic Cylinder
106	2	HR-0107	2" x 6" Hydraulic Cylinder
107	2	HR-0165-12	Hydraulic Motor, Heavy Duty, White #500375A5120AAAAA (SER# 157000 - 157120)
	2	HR-0709-12	Hydraulic Motor, Extra HD, White #500470A5120AAAAA - Option (SER# 157000 - 157120)
	2	HR-0165-15	Hydraulic Motor, Std. Eaton (184-0096-002) (SER# 157121 - 157999)
	2	HR-0709-15	Hydraulic Motor, High Torque, Eaton #184-0131-002 (Option) (SER# 157121 - 157999)
108	2	HR-3144	1/2" Hydraulic Hose - 113"
	2	HR-0276	8010-4 Pioneer Tips (not shown)
109	1	HR-3120	1/2" Hydraulic Hose - 64"
	1	HR-0306	1/2" Adapter (not shown) 6802x8x8
110	1	HR-3121	1/2" Hydraulic Hose - 58 1/2"
	1	HR-0301	1/2" Adapter (not shown) 6801x8x10
111	1	HR-3122	1/2" Hydraulic Hose - 73"
	1	HR-0305	1/2" Adapter (not shown) 6802x8x10
112	1	HR-0272	1/2" Cross Adapter - 2650-08-08-08
113	1	HR-0708-A	1/2" Tee Adapter - 6600-08-08
114	1	HR-3123	1/2" Hydraulic Hose - 11"
115	1	HR-3124	1/2" Hydraulic Hose - 73"
116	1	HR-3125	1/2" Hydraulic Hose - 70"
117	1	HR-3126-1	1/4" Hydraulic Hose - 64" For use with HR-0318-1 Spread Cylinder
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
118	1	HR-3127	3/8" Hydraulic Hose - 23 7/8"
119	1	HR-3128-1	1/4" Hydraulic Hose - 62" For use with HR-0318-1 Spread Cylinder
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
120	1	HR-3129	1/4" Hydraulic Hose - 57"
121	1	HR-3130	1/4" Hydraulic Hose - 69"
122	1	HR-3131	1/4" Hydraulic Hose - 43 1/2"
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
123	1	HR-3132	3/8" Hydraulic Hose - 20 7/8"
124	1	HR-3133	1/4" Hydraulic Hose - 63 1/2"
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
125	1	HR-3134	1/4" Hydraulic Hose - 55"
126	1	HR-3135	1/4" Hydraulic Hose - 67"
127	2	HR-0328	3/8" Tee Adapter - 2603-06-06-06-FG
128	4	HR-3136	3/8" Hydraulic Hose - 51"
129	1	HR-3137	1/2" Hydraulic Hose - 118"
130	2	HR-3138	1/2" Hydraulic Hose - 240"
131	2	HR-3139	1/2" Hydraulic Hose - 242"
132	4	HR-3140	3/8" Hydraulic Hose - 206"
133	2	HR-3141	1/4" Hydraulic Hose - 160"
134	2	HR-3142	1/4" Hydraulic Hose - 171 1/2"

HYDRAULIC SCHEMATIC-6 FUNCTION

MODELS: 2027/2030G2-5, 6 & 7




HYDRAULIC SCHEMATIC - 6 FUNCTION (optional)

MODELS: 2027/30G2-7

ITEM	QTY	PART NO	DESCRIPTION
101	1	HR-0391	Hydraulic Manifold
	1	HR-0392	Adjustable Flow Cartridge 4-8 GPM (not shown)
	1	HR-0393	Fixed Flow Cartridge 4 GPM (not shown)
	1	HR-0395	Motor Relief Valve - 2000 PSI (not shown)
102	1	HR-271-039	Check Valve (HR-0284 Used 2013 and earlier)
103	1	700-0806-4022	Hydraulic Control Valve (6 Function) *option
104	2	HR-0318-1	Spread Cylinder Without External Hydraulic Line, Ram
105	2	HR-0106	2" x 8" Hydraulic Cylinder
106	2	HR-0107	2" x 6" Hydraulic Cylinder
107	2	HR-0165-12	Hydraulic Motor, Heavy Duty, White #500375A5120AAAAA (SER# 157000 - 157120)
	2	HR-0709-12	Hydraulic Motor, Extra HD, White #500470A5120AAAAA - Option (SER# 157000 - 157120)
	2	HR-0165-15	Hydraulic Motor, Std. Eaton (184-0096-002) (SER# 157121 - 157999)
	2	HR-0709-15	Hydraulic Motor, High Torque, Eaton #184-0131-002 (Option) (SER# 157121 - 157999)
108	2	HR-3144	1/2" Hydraulic Hose - 113"
	2	HR-0276	8010-4 Pioneer Tips (not shown)
109	1	HR-3120	1/2" Hydraulic Hose - 64"
	1	HR-0306	1/2" Adapter (not shown) 6802x8x8
110	1	HR-3121	1/2" Hydraulic Hose - 58 1/2"
	1	HR-0301	1/2" Adapter (not shown) 6801x8x10
111	1	HR-3122	1/2" Hydraulic Hose - 73"
	1	HR-0305	1/2" Adapter (not shown) 6802x8x10
112	1	HR-0272	1/2" Cross Adapter - 2650-08-08-08
113	1	HR-0708-A	1/2" Tee Adapter - 6600-08-08
114	1	HR-3123	1/2" Hydraulic Hose - 11"
115	1	HR-3124	1/2" Hydraulic Hose - 73"
116	1	HR-3125	1/2" Hydraulic Hose - 70"
117	1	HR-3126-1	1/4" Hydraulic Hose - 64" For use with HR-0318-1 Spread Cylinder
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
118	1	HR-3145	3/8" Hydraulic Hose - 78"
119	1	HR-3128-1	1/4" Hydraulic Hose - 62" For use with HR-0318-1 Spread Cylinder
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
120	1	HR-3129	1/4" Hydraulic Hose - 57"
121	1	HR-3130	1/4" Hydraulic Hose - 69"
122	1	HR-3131	1/4" Hydraulic Hose - 43 1/2"
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
123	1	HR-3146	3/8" Hydraulic Hose - 77"
124	1	HR-3133	1/4" Hydraulic Hose - 63 1/2"
	1	HR-0300-1	1/4" Adapter (not shown) 6400-06-06-0
125	1	HR-3134	1/4" Hydraulic Hose - 55"
126	1	HR-3135	1/4" Hydraulic Hose - 67"
127	1	HR-3137	1/2" Hydraulic Hose - 118"
128	2	HR-3138	1/2" Hydraulic Hose - 240"
129	2	HR-3139	1/2" Hydraulic Hose - 242"
130	4	HR-3140	3/8" Hydraulic Hose - 206"
131	2	HR-3141	1/4" Hydraulic Hose - 160"
132	2	HR-3142	1/4" Hydraulic Hose - 171 1/2"


Part No. HR-0318-1 Seal Kit No. HR-R3605437

BILL OF MATERIALS			
ITEM	QTY	DESCRIPTION	PART NO.
1	1	BARREL WELDMENT	R5507907
2	1	SHAFT WELDMENT	R4207907
3	1	GLAND	R6500013
4	1	STOP TUBE	R4805437
5	1	PISTON	R6400045
6	1	LOCKNUT, 3/4-16 UNF, GRADE C	R3005005
7	1	SEAL, PISTON, PSP-A, #330, 2.500	R3500066
8	1	SEAL, O-RING, NBR70A, #210; 0.750 x 1.000 x 0.125	R3503210
9	1	ROD SEAL, U-CUP, 1.250 x 1.625 x 0.313	R3501011
10	1	SEAL, O-RING, NBR70A, #330, 2.125 X 2.500 X 0.188	R3503330
11	1	SEAL, BACK-UP, URETHANE, #330, 2.125 x 2.500 x 0.055	R3508330
12	1	SEAL, WIPER, CASDED, 1.250 x 1.688 x 0.188, NITRILE	R3506016

[illegible]

PARTS LIST

NO	PART NUMBER	QTY	PART DESCRIPTION
1	212-025	1	BOLT 5/16-18X0.75
2	214-002	16	CABLE TIE BLK 8.5"
3	255-026	1	LOOM CLAMP .50"ID
4	302-861	1	MANI ASSY 0805 5DA OPN E-INTG DTR 12V RV WP6801-6 PT6801-8
5	304-813	1	HRN 1500N 18GA AMP PLUG 16P(15)3DTP 2P(2) 23'



NOTE:
1. USE 3 CABLE TIES TO COIL HARNESS.

REVISIONS		UNLESS OTHERWISE SPECIFIED		SIGNATURES		DATE		FASSE VALVES	
REV	DESCRIPTION	FORM #	DATE	APPROVED	DESIGNED	DATE	DATE	REV	DESCRIPTION
1	RELEASED DRAWING	02-0125	12/05/02	DLJ	DLJ	12/04/02	12/04/02	1	REVISION 1
2	UPDATED DRAWING	08-0027	04/15/08	DLJ	DLJ	04/15/08	04/15/08	2	REVISION 2
3	UPDATED DRAWING	08-0027	08/05/08	DLJ	DLJ	08/05/08	08/05/08	3	REVISION 3



MAN/HVN ASSY 0805 5DA OPN E-INTG DTR 12V RV WP6801-6 PT6801-8
15 DTP 2P(2) 23'

FORM NO 303-058
SCALE SHEET

PARTS LIST

N ^o	PART NUMBER	QTY	PART DESCRIPTION
1	210-015	5	FTG 6801-6-6/E-MJ-MQ
2	210-017	2	FTG 6801-8-8/E-MJ-MQ
3	210-228	5	FTG 6801LL-6-6/E-MJ-MQ
4	232-050	2	DECL S/N (SILVER)
5	232-058	1	DECAL FASSE BLK/GOLD 1" X .75" R
6	253-590	8	COIL H/F 4304012 E-8 INTG DEUT DTR 12V ZENER DIODE
7	253-593	5	COIL H/F 4304112E-10 INTG DEUT DTR 12V ZENER DIODE
8	270-083	1	MANI S14153-4 50CR AL RV
9	273-008	1	CART H/F SV10-40-0-N-00 SPL 4W
10	273-016	5	CART H/F SV08-24-0-N-00 SPL 2W
11	273-017	1	CART H/F SV10-21-0-N-00 POP 2W
12	273-527	1	CART H/F RV10-22H-0-N-35/20 RLF DIFF A
13	273-867	2	CART H/F SV08-28-0-N-00
14	273-890	3	CART H/F SV38-28-0-N-00 POP 2W
15	273-979	1	CART H/F SV08-20M-0-N-00 POP 2

FITTING ORIENTATION





SPECIFICATIONS:

MAXIMUM PRESSURE	3000 PSI
MAXIMUM FLOW	8 GPM
PORT SIZE (P, T)	-8 SAE O-RING
PORT SIZE (ALL C)	-6 SAE O-RING
MOUNTING HOLES (2)	.406 DIA
MOUNTING HOLES (1)	5/16-18 TAPPED

REV	DESCRIPTION	FORM #	DATE	APPROVED	UNLESS OTHERWISE INDICATED, DIMENSIONS ARE IN INCHES	SIGNATURES	DATE
1	INITIAL DRAINING	08-2018	10/24/20	10/24/20	MANIFOLD	10/24/20	10/24/20
A	273-867 273-890 273-979	08-2018	10/24/20	10/24/20	MANIFOLD	10/24/20	10/24/20
B	REVIEWED DRAINING	08-2018	10/24/20	10/24/20	MANIFOLD	10/24/20	10/24/20

MANI ASSY 0805 8DA OPN E-INTG DTR 12V RV WP6801-6 PT6801-6	REVISED NO	302-881
SCALE	1 OF 2	

№	PART NUMBER	QTY	PART DESCRIPTION
1	231-008	5"	SHRINKTUBING .750
2	231-009	2"	SHRINKTUBING .500" BLK
3	231-313	2"	SHRINKTUBING .313
4	252-020	2#	CABLE 1500N 18GA
5	252-068	18"-6"	WIRE 18GA BLK
6	252-060	2'	WIRE 18GA GRN
7	255-017	1	CNTR 16 PIN PLUG
8	255-043	1	CNTR 16 PIN SHELL #17
9	255-234	15	CNTR SOCKET (GOLD) 16/18GA
10	255-605	13	CNTR DEUTSCH LOCKWEDGE 2PIN DTP
11	255-801	13	CNTR DEUTSCH 2PIN PLUG DT
12	255-878	26	CNTR DEUTSCH SOCKET 16/18GA




- 1-RED WIRE
2-ORG WIRE
3-WHT WIRE
4-BLU/BLK WIRE
5-RED/BLK WIRE
6-ORG/BLK WIRE
7-WHT/BLK WIRE
8-BLU WIRE
9-BLK/WHT WIRE
10-GRN WIRE
11-BLK WIRE
12-BLU/WHT WIRE
13-GRN/WHT WIRE
14-RED/WHT WIRE
15-GRN/BLK WIRE
16-NOT USED

NOTES:

1. HARNESS LENGTH IS 25'
2. REMOVE 26" OF OUTER CABLE JACKET FOR SPLICING.
3. NOT SHOWN: 9


[illegible]

HYDRAULIC SCHEMATIC



PARTS LIST

QTY	PART NUMBER	PART DESCRIPTION
1	212-025	BOLT 5/16-18X0.75
16	214-002	CABLE TIE BLACK 7"
3	295-026	LOOM CLAMP .5"ID METAL/RUBR
1	302-331	MANH ASSY 60A OPEN SS 12V RV W/PS801-6
4	312-740	HRN ASSY 1500N 18GA AMP PLUG 18T(15)150TP 25(2) 24"




NOTES:

1. USE 3-CABLE TIES TO COIL HARNESS.


REV	DESCRIPTION	REVISIONS				UNLESS OTHERWISE SPECIFIED		SIGNALURES		DATE		FASSE VALVES	
		ISSN / I	DATE	APPROVED	DESIGNED	BY	DATE	DESIGNED	BY	DATE	ISSN / I	DATE	
1	RELEASED DRAWING	00-0004	04/05/02	0.5/1	0.5/1	0.5/1	10/04/04	UNITS	UNITS	10/04/04	MAN/HRN ASSY, DIA OPN E-INTS DTP 12V RV	RELEASED BY: 2348	
A	UPDATED DRAWING	00-0004	04/05/02	0.5/1	0.5/1	0.5/1	10/04/04	UNITS	UNITS	10/04/04	WPG8001-B P108001-15 ON/ OFF 1500N	RELEASED BY: 2348	
B	UPDATED DRAWING	00-0007	00/05/03	0.5/1	0.5/1	0.5/1	10/04/04	UNITS	UNITS	10/04/04	180A AMP PLUG108P(18) DTP 2P(23) 24"	RELEASED BY: 2348	
THIS DOCUMENTATION IS A PROPERTY OF FASSE VALVES AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM FASSE VALVES. ANY UNAUTHORIZED REPRODUCTION OR TRANSMISSION IS EXPRESSLY PROHIBITED. ALL RIGHTS ARE RESERVED.												303-074	

PARTS LIST



PARTS LIST



NA	PART NUMBER	QTY	PART DESCRIPTION
1	210-015	6	FTG 8801-6-6/E-MJ-MO
2	210-017	1	FTG 8801-8-8/E-MJ-MO
3	210-038	2	FTG 8408-8/MO HHP
4	210-117	1	FTG 8400-8-8/S-MJ-MO
5	210-121	1	FTG 8403-NMO-8/ADJ S-MO-MO
6	210-127	2	FTG 8408-8/MO HHP
7	210-228	6	FTG 8801-LL-8
8	232-050	2	DECL S/N (SILVER)
9	232-058	1	DECL GOLD/BLK 1.5 X .5
10	253-590	6	COIL H/F 4304012 E-8 INTG DEUT DTR 12V ZENER DIODE
11	253-593	7	COIL H/F 4304112E-10 INTG DEUT DTR 12V ZENER DIODE
12	270-011	1	MANI S14259-1 701R AL
13	270-051	1	BLOCK W7024680 ON/OFF-8
14	273-008	1	CART SV10-40-O-N-00
15	273-016	5	CART H/F SV08-24-O-N-00
16	273-017	1	CART SV10-21-O-N-00
17	273-627	1	CART H/F RV10-22H-O-N-35/20 RLF DIFF A
18	273-867	2	CART H/F SV08-26-O-N-00
19	273-890	5	CART H/F SV08-28-O-N-00
20	273-879	1	CART H/F SV08-20W-O-N-00



VIEW A-A

REF	DESCRIPTION	REVISIONS				ISSUE TRACKER	ISSUES	REMARKS	DATE	SEAL/STATUS	DATE	STATUS
01	UNLASED DRAWING	Q1	00-0000	01/17/04	UNLASED	UNLASED	UNLASED	UNLASED	10/04/04	UNLASED	UNLASED	UNLASED
02	272-302 W/IN 272-300	Q1	00-0000	01/17/04	UNLASED	UNLASED	UNLASED	UNLASED	10/04/04	UNLASED	UNLASED	UNLASED
03	UNLASED DRAWING	Q1	00-0007	08/25/04	UNLASED	UNLASED	UNLASED	UNLASED	10/04/04	UNLASED	UNLASED	UNLASED

№	PART NUMBER	QTY	PART DESCRIPTION
1	231-008	5"	SHRINKTUBING .750
2	231-009	2"	SHRINKTUBING .500" BLK
3	231-313	2"	SHRINKTUBING .313
4	252-020	28'	CABLE 1500N 18GA
5	252-058	18'-6"	WIRE 18GA BLK
6	252-060	2'	WIRE 18GA GRN
7	255-017	1	CNTR 16 PIN PLUG
8	255-043	1	CNTR 16 PIN SHELL #17
9	255-234	15	CNTR AMP SOCKET TYPE III + 16-18GA
10	255-605	15	CNTR DEUTSCH LOCKWEDGE 2PIN DTP
11	255-801	15	CNTR DEUTSCH 2PIN PLUG DT
12	255-870	30	CNTR DEUTSCH SOCKET 16/18GA




- 1-RED WIRE
2-ORG WIRE
3-WHT WIRE
4-BLU/BLK WIRE
5-RED/BLK WIRE
6-ORG/BLK WIRE
7-WHT/BLK WIRE
8-BLU WIRE
9-BLK/WHT WIRE
10-GRN WIRE
11-BLK WIRE
12-BLU/WHT WIRE
13-GRN/WHT WIRE
14-RED/WHT WIRE
15-GRN/BLK WIRE
16-NOT USED

1. HARNESS LENGTH IS 27"
2. REMOVE 26" OF OUTER CABLE JACKET FOR SPLICING.
3. NOT SHOWN (8)

[illegible]

Six Function Control Valve (Optional)

HYDRAULIC SCHEMATIC



DATE	SIGNATURE	REVISION
10/04/04	DAV	1
10/04/04	DAV	2
10/04/04	DAV	3
10/04/04	DAV	4
10/04/04	DAV	5
10/04/04	DAV	6
10/04/04	DAV	7
10/04/04	DAV	8
10/04/04	DAV	9
10/04/04	DAV	10
10/04/04	DAV	11
10/04/04	DAV	12
10/04/04	DAV	13
10/04/04	DAV	14
10/04/04	DAV	15
10/04/04	DAV	16
10/04/04	DAV	17
10/04/04	DAV	18
10/04/04	DAV	19
10/04/04	DAV	20
10/04/04	DAV	21
10/04/04	DAV	22
10/04/04	DAV	23
10/04/04	DAV	24
10/04/04	DAV	25
10/04/04	DAV	26
10/04/04	DAV	27
10/04/04	DAV	28
10/04/04	DAV	29
10/04/04	DAV	30
10/04/04	DAV	31
10/04/04	DAV	32
10/04/04	DAV	33
10/04/04	DAV	34
10/04/04	DAV	35
10/04/04	DAV	36
10/04/04	DAV	37
10/04/04	DAV	38
10/04/04	DAV	39
10/04/04	DAV	40
10/04/04	DAV	41
10/04/04	DAV	42
10/04/04	DAV	43
10/04/04	DAV	44
10/04/04	DAV	45
10/04/04	DAV	46
10/04/04	DAV	47
10/04/04	DAV	48
10/04/04	DAV	49
10/04/04	DAV	50
10/04/04	DAV	51
10/04/04	DAV	52
10/04/04	DAV	53
10/04/04	DAV	54
10/04/04	DAV	55
10/04/04	DAV	56
10/04/04	DAV	57
10/04/04	DAV	58
10/04/04	DAV	59
10/04/04	DAV	60
10/04/04	DAV	61
10/04/04	DAV	62
10/04/04	DAV	63
10/04/04	DAV	64
10/04/04	DAV	65
10/04/04	DAV	66
10/04/04	DAV	67
10/04/04	DAV	68
10/04/04	DAV	69
10/04/04	DAV	70
10/04/04	DAV	71
10/04/04	DAV	72
10/04/04	DAV	73
10/04/04	DAV	74
10/04/04	DAV	75
10/04/04	DAV	76
10/04/04	DAV	77
10/04/04	DAV	78
10/04/04	DAV	79
10/04/04	DAV	80
10/04/04	DAV	81
10/04/04	DAV	82
10/04/04	DAV	83
10/04/04	DAV	84
10/04/04	DAV	85
10/04/04	DAV	86
10/04/04	DAV	87
10/04/04	DAV	88
10/04/04	DAV	89
10/04/04	DAV	90
10/04/04	DAV	91
10/04/04	DAV	92
10/04/04	DAV	93
10/04/04	DAV	94
10/04/04	DAV	95
10/04/04	DAV	96
10/04/04	DAV	97
10/04/04	DAV	98
10/04/04	DAV	99
10/04/04	DAV	100

PARTS LIST

QTY	PART NUMBER	PART DESCRIPTION
2	212-184	SCREW 6-32 X 3/8 OVAL HD BLK
2	212-202	INSERT 6-32X3/8 BRASS
2	212-215	KNOB 1/4-20 FEMALE
2	212-231	SCREW WELDED 1/4-20 X .500
2	213-335	WASHER NYLON .257X.875X.080
14	214-002	CABLE TIE BLACK 7"
1	219-300	BRKT HSG MONITOR
1	230-057	BAG POLY CLR 14 X 18 2MIL W/LOGO
2	232-050	DECL S/N (SILVER)
1	232-058	DECAL FASSE BLK/GOLD 1"X.75" RND CRNR
5	250-013	SW TOG DPDT 3P MOM LONG
5	250-023	SW TOG BOOT OPN GRY
1'	252-058	WIRE 18GA BLK
1.5'	252-059	WIRE 18GA RED
1'	252-060	WIRE 18GA GRN
1	254-001	DIODE D11642 6AMP
20	255-002	TRM T-TAP F PO BLU
5	255-006	TRM PO F INS 22-18GA
2	255-030	TRM SPLICE CLOSED END
2	255-070	TRM PO M/F
5	255-119	TRM PO F INS 16-14GA
1	255-285	TRM SPLICE CLOSED END LRG 12-10GA
1	255-710	STRAIN RLF HEYCO .45"-705"ID, HOLE DIA 1.115"
1	259-004	SW TOG GRIP VNYL WHT .187
1	259-005	SW TOG GRIP VNYL RED .187
1	259-015	SW TOG GRIP VNYL BLU .187
1	259-022	SW TOG GRIP VNYL YEL .187
1	259-023	SW TOG GRIP VNYL GRN .187
1	300-271	HARNESS R/B WIRE /8"
1	304-401	ENCL DRL MNTR W/FUSEHOLDER CNTR 1 1/8"X
1	311-082	ENCL FP DRL MNTR-5X15/32SW
1	311-801	HARNESS 15CON 16PN(15) F /5.5"
1	319-769	FUSEHOLDER PANEL MOUNT ASSY 10A /5"

NOTES:


1. USE 2-CABLE TIES TO COIL UP HARNESS
2. PUT REMAINING CABLE TIES IN BAG
3. NOT SHOWN: (6) (8)
4. CUT OFF RED/WHT WIRE AT HARNESS.

REV	DESCRIPTION	DATE	APPROVED	DESIGNED	DATE	SIGNATURES	DATE
1	RELEASED DRAWING	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
A	259-015 BLU GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
B	259-022 YEL GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
C	259-023 GRN GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08

REV	DESCRIPTION	DATE	APPROVED	DESIGNED	DATE	SIGNATURES	DATE
1	RELEASED DRAWING	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
A	259-015 BLU GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
B	259-022 YEL GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
C	259-023 GRN GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08


REV	DESCRIPTION	DATE	APPROVED	DESIGNED	DATE	SIGNATURES	DATE
1	RELEASED DRAWING	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
A	259-015 BLU GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
B	259-022 YEL GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
C	259-023 GRN GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08

REV	DESCRIPTION	DATE	APPROVED	DESIGNED	DATE	SIGNATURES	DATE
1	RELEASED DRAWING	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
A	259-015 BLU GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
B	259-022 YEL GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08
C	259-023 GRN GRIP SW TOG	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08	08/07/08




SWITCH NOTCH ORIENTATION

- ORIENT SWITCH NOTCHES AS SHOWN IN GRAPHIC
- USE THE ANGLE VALUES SHOWN AS REFERENCE



PART DESCRIPTION

N ^o	PART NUMBER	QTY	PART DESCRIPTION
1	231-009	2"	SHRINKTUBING .500" BLK
2	252-020	5.5'	CABLE 15COND 18GA
3	255-013	1	CNTR 16 PIN RECP FLANGE
4	255-023	15	CNTR PIN (GOLD) 16/18GA
5	255-043	1	CNTR 16 PIN SHELL #17




A diagram of a 12-pin circular connector. The pins are arranged in a circular pattern and numbered 1 through 12. The numbering starts at the top (12 o'clock position) and proceeds clockwise: 12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11.

- | | | |
|----|----|-------------------|
| 1 | -- | RED WIRE |
| 2 | -- | ORANGE WIRE |
| 3 | -- | WHITE WIRE |
| 4 | -- | BLUE/BLACK WIRE |
| 5 | -- | RED/BLACK WIRE |
| 6 | -- | ORANGE/BLACK WIRE |
| 7 | -- | WHITE/BLACK WIRE |
| 8 | -- | BLUE WIRE |
| 9 | -- | BLACK/WHITE WIRE |
| 10 | -- | GREEN WIRE |
| 11 | -- | BLACK WIRE |
| 12 | -- | BLUE/WHITE WIRE |
| 13 | -- | GREEN/WHITE WIRE |
| 14 | -- | RED/WHIT WIRE |
| 15 | -- | GRN/BLK WIRE |
| 16 | -- | NOT USED |

[illegible]

SWITCH WIRING DIAGRAM



NOTES:

1. CUT OFF RED/WHT WIRE AT HARNESS.
2. USE SCRAP 18GA WIRE TO JUMP BETWEEN SWITCHES.

▲ = NOTCH LOCATION


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON DIMENSIONS ARE: 1. FRACTIONS 2. DECIMALS 3. ANGLES 4. HOLE LOCATIONS 5. HOLE DIAMETERS 6. HOLE SPACINGS	DATE 05/28/02	DIMENSIONS DLS	DIMENSIONS INCH	DATE 05/28/02	DIMENSIONS INCH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON DIMENSIONS ARE: 1. FRACTIONS 2. DECIMALS 3. ANGLES 4. HOLE LOCATIONS 5. HOLE DIAMETERS 6. HOLE SPACINGS	DATE 05/28/02	DIMENSIONS DLS	DIMENSIONS INCH	DATE 05/28/02	DIMENSIONS INCH

PARTS LIST

N#	PART NUMBER	QTY	PART DESCRIPTION
1	212-184	2	SCREW 6-32 X 3/8 OVAL HD BLK
2	212-202	2	INSERT 6-32X3/8 BRASS
3	212-215	2	KNOB 1/4-20 FEMALE
4	212-231	2	SCREW WELDED 1/4-20 X .500
5	213-335	2	WASHER NYLON .257X.675X.080
6	214-002	14	CABLE TIE BLACK 7"
7	219-300	1	BRKT HSGN MONITOR
8	230-057	1	BAG POLY CLR 14 X 18 2MIL W/LOGO
9	232-050	2	DECL S/N (SILVER)
10	232-058	1	DECAL FASSE BLK/GOLD 1"X.75" RND CRNR
11	250-013	6	SW TOG DPDT 3P MOM LONG
12	250-023	6	SW TOG BOOT OPN GRY
13	252-058	1'	WIRE 18GA BLK
14	252-059	1.5'	WIRE 18GA RED
15	252-060	1'	WIRE 18GA GRN
16	254-001	1	DIODE D116A2 6AMP
17	255-002	25	TRM T-TAP F PO BLU
18	255-006	5	TRM PO F INS 22/18GA
19	255-030	2	TRM SPLICE CLOSED END
20	255-070	2	TRM PO M/F 16-14GA
21	255-119	6	TRM PO F INS 16-14GA
22	255-285	1	TRM SPLICE CLOSED END LRG 14-16GA
23	255-710	1	STRAIN RLF HEYCO .45"--.705"ID, HOLE DIA 1.115"
24	259-004	1	SW TOG GRIP VNYL WHT .187
25	259-005	1	SW TOG GRIP VNYL RED .187
26	259-015	1	SW TOG GRIP VNYL BLU .187
27	259-022	1	SW TOG GRIP VNYL YEL .187
28	259-023	1	SW TOG GRIP VNYL GRN .187
29	259-027	1	SW TOG GRIP VNYL GRY .187
30	300-072	1	HRN 150ON 18GA AMP SQRRCPT 16P(15) 5'
31	300-271	1	HARNSS R/B WIRE /6'
32	304-400	1	ENCL DRILL MNTBRX FH-1 1/8"Ø
33	308-001	1	ENCL DRILL FP MNTR SW6 L00261
34	319-769	1	FUSEHOLDER PANEL MOUNT ASSY 10A /5'

NOTES:

1. USE 2-CABLE TIES TO COIL UP HARNESS
2. PUT REMAINING CABLE TIES IN BAG
3. NOT SHOWN: (6)(8)




SWITCH NOTCH ORIENTATION

- ORIENT SWITCH NOTCHES AS SHOWN IN GRAPHIC
- USE THE ANGLE VALUES SHOWN AS REFERENCE


[illegible]

PARTS LIST

Nº	PART NUMBER	QTY	PART DESCRIPTION
1	231-007	2.0"	SHRINKTUBING .625
2	252-020	5'	CABLE 15COND 18GA
3	255-013	1	CNTR 16 PIN RECPT FLANGE
4	255-023	15	CNTR PIN (GOLD) 16/18GA
5	255-043	1	CNTR 16 PIN SHELL #17




PIN OUT DETAIL



- 1 --- RED WIRE
- 2 --- ORANGE WIRE
- 3 --- WHITE WIRE
- 4 --- BLUE/BLACK WIRE
- 5 --- RED/BLACK WIRE
- 6 --- ORANGE/BLACK WIRE
- 7 --- WHITE/BLACK WIRE
- 8 --- BLUE WIRE
- 9 --- BLACK/WHITE WIRE
- 10 --- GREEN WIRE
- 11 --- BLACK WIRE
- 12 --- BLUE/WHITE WIRE
- 13 --- GREEN/WHITE WIRE
- 14 --- RED/WHITE WIRE
- 15 --- GREEN/BLACK WIRE
- 16 --- NOT USED

NOT SHOWN: 4

REV	DESCRIPTION	REVISIONS	FORM #	DATE	APPROVED	UNLESS OTHERWISE SPECIFIED	SIGNATURES	DATE
1	RELEASED DRAWING		DT-0004	06/12/01	SES ENL	1. DIMENSIONS ARE IN INCHES 2. P. DIMENSIONS 3. P. DIMENSIONS 4. P. DIMENSIONS	DESIGN DRAWN ENG	
THIS DRAWING IS A PROPERTY OF FASSE VALVES. IT IS TO BE USED FOR THE DESIGN AND CONSTRUCTION OF THE EQUIPMENT ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF FASSE VALVES. ALL RIGHTS ARE RESERVED BY FASSE VALVES.								
FASSE VALVES SEVEN ROYAL PARK KEARNY, NE 68848-2948								
HARNISS 15CON 16PIN(15) F /5'								
SIZE FROM NO				DWG NO		SHEET		
A				300-072				

[illegible]



**13477 Benson Avenue
Chino, CA 91710**

Phone: (909) 548-4848

Fax: (909) 548-4747

sales@gearmore.com

www.gearmore.com